Cowlitz County Maternal & Child Health







Prepared by S. Hoskins, MPH, CPH

May 2015

This report contains select maternal & child health indicators for Cowlitz County, including characteristics of women of childbearing age, pregnancy & birth, and children. Data are provided for Cowlitz County and Washington State, as well as demographic groups when possible, including school district, race/ethnicity, age, socioeconomic status (SES), and gender.

Color coding has been used to aid in interpreting these indicators:

- ➤ **Black font** indicates that Cowlitz County is similar to the state average (i.e., there is no statistical difference between the two) or that the demographic group is similar to the Cowlitz County average.
- Red font identifies areas of concern, either because that Cowlitz County is faring more poorly than the state average, is getting worse over time, or the demographic group is doing more poorly than the Cowlitz County average.
 - Example: **26%** of Cowlitz County women smoke during pregnancy, which is higher than the state average.
- ➤ **Green font** identifies community strengths, either because Cowlitz County is faring better than the state average, is improving over time, or the demographic group is faring better than the Cowlitz County average.
 - Example: **8**% of births to Cowlitz County women with a 4-year degree are outside of marriage, which is better than the county average.

For indicators for which a statistical difference is neither better nor worse:

- Orange indicates that a rate is higher or increasing.
- **Blue** is used for lower or decreasing rates.

Washington State figures are not color-coded.



Demographics

Cowlitz County is home to:

18,000 women of childbearing age

5,800 children age 0-4

18,000 children age 5-17

1,177 babies were born

to Cowlitz County residents in 2013.

Fertility in Cowlitz County has been declining since 2007.

Community strengths

Cowlitz County's

teen pregnancy rate has decreased by two-thirds since 2006 and is on par with the state average.

In Cowlitz County, low birth weight has remained stable over the past 10 years and is on par with the state average.

In Cowlitz County, single parent families are on par with the state average.

Opportunities for improvement

In Cowlitz County, births to unmarried women are almost 50% higher than the state average, and have increased 17% since 2004.

Cowlitz County women who never attended college are 7 times more likely to have a baby outside of marriage than women with a 4-year degree.

While they have been declining in Washington State, Cowlitz County's **premature birth** and **infant mortality rates haven't changed** in the past 10 years.

In Cowlitz County, vaccine exemption rates
have increased 60% since 2004, while
Washington State exemptions have been
declining since 2009.

10% fewer Cowlitz County 3rd graders meet math and reading standards

than the state average.

Low-income students are 27% less likely to meet math and reading standards

than their higher-income counterparts in Cowlitz County.

Areas of community interest

Poverty

Women of childbearing age

In Cowlitz County, **1** in **5** women of childbearing **age** live in poverty. This equals 3,900 women.

Women in **Longview** and those **age 18-24** are most likely to live in poverty. Almost one in three of these women live in poverty.

Women in **Castle Rock** and **those age 35-44** have the lowest rates of poverty.

Children age 0-4

In Cowlitz County, **1** in **5** children age **0-4** live in poverty. This equals 5,800 children.

Free/reduced price meal participation

61% of Cowlitz County elementary school students receive free or reduced price meals. This is 20% higher than the state average.

Participation has **increased 38%** since 2005 in Cowlitz County. Washington State has also increased.

Two-thirds of students in
Longview and Kelso participate, while
Castle Rock Kalama Toutle Lake, and
Woodland have the lowest rates.

Smoking during pregnancy

In Cowlitz County, 1 in 4 women smoke during pregnancy, which is 2 ½ times the state average

Smoking during pregnancy has been declining since 2008 in Washington State, while Cowlitz County's rate hasn't changed in the past 10 years

One in three Longview women

smoke during pregnancy. Rates are lowest in **Kalama** and **Woodland**

Hispanic and **Asian** women have the lowest rates of any racial/ethnic group.

Cowlitz County women who never attended college are 8 times more likely to smoke during pregnancy than women with a 4-year degree.

Women younger than 25 are 50% more likely to smoke during pregnancy than older women.

Prenatal care

77% of Cowlitz County women receive prenatal care in their first trimester. This is similar to the state average.

First trimester prenatal care reception has been increasing in Washington State since 2007, while Cowlitz County's rate hasn't changed in the past 10 years

Just two-thirds of Hispanic
women receive prenatal care in their
first trimester.

Women who never attended college are 20% less likely to

receive prenatal care in their first trimester than women with a 4-year degree.

Just **7 in 10 women aged 15-17** receive prenatal care in their first trimester.

Children

		Children aged 0-4 2009-2013	Children aged 5-17 2009-2013	Children aged 0-4 in poverty 2013	Free & reduced price meal participation SYs 04/05 - 13/14	Single parent families 2009-2013	Kindergarten vaccine exemptions SYs 04-05 - 13-14	3 rd graders meeting math standards SYs 09/10 – 12/13	3 rd graders meeting reading standards SYs 09/10 – 12/13
Most recent Cowlitz rate or percent		6% (of whole county)	17% (of whole county)	21%	61%	34%	4%	58%	67%
Most recent Cowlitz number		5,800	18,000	1,100	4,771	3,300	58	668	768
Cowlitz trend over time		-	-	-	↑	-	↑	-	-
Wash	ington State trend over time	-	-	-	↑	-	↑ 05-09 ↓ 09-14	-	-
Cowlit State	tz figure vs. Washington	-	-	\leftrightarrow	↑	\leftrightarrow	\leftrightarrow	V	V
	Castle Rock	560	1,800	-	54%	25%	5%	34%	53%
cts	Kalama	490	1,300	-	42%	27%	4%	55%	65%
listric	Kelso	2,000	4,700	-	62%	40%	3%	64%	69%
School districts	Longview	2,800	7,500	-	64%	43%	3%	52%	63%
Sch	Toutle Lake	690 (total 0-17)		-	40%	-	-	64%	73%
	Woodland	680	2,300	-	53%	32%	7%	64%	78%
	White	4,700	14,000	-	-	-	-	-	-
>	Hispanic	1,100	2,600	-	-	-	-	-	-
ınicit	Asian	320 (total 0-17)		-	-	-	-	-	-
Race/ethnicity	Native Hawaiian/ Pacific Islander	-	-	-	-	-	-	-	-
~	Black	-	-	-	-	-	-	-	-
	Native American	250 (total 0-17)		-	-	-	-	-	-
Gender	Female	3,300	8,900	-	-	-	-	56%	70%
Ger	Male	3,300	9,000	-	-	-	-	57%	63%
SES	Low income	-	-	-	-	-	-	48%	58%
SE	Not low income	-	-	-	-	-	-	67%	77%

Pregnancy & birth

		Number of births 2009-2013	General fertility rate 2004-2013	Maternal smoking 2004-2013	First trimester prenatal care 2004-2013	Teen pregnancy 2004-2013	Low birth weight 2004-2013	Premature births 2004-2013	Births to un- married women 2004-2013	Infant mortality 02-04 to 11-13
Most recent Cowlitz rate or percent		-	63 per 1,000	26%	77%	13 per 1,000	7%	9%	47%	3.7 per 1,000
Most recent Cowlitz number		1,177	1,177	302	872	26	81	103	552	13
Cowlitz trend over time		-	↔ 04-07 ↓ 07-13	\leftrightarrow	\leftrightarrow	↔ 04-06 ↓ 06-13	\leftrightarrow	\leftrightarrow	↑	\leftrightarrow
Washington State trend over time		-	↑ 04-07 ↔ 07-13	↔ 04-08 ↓ 08-13	↔ 04-07 ↑ 07-13	↔ 04-08 ↓ 08-13	\leftrightarrow	↔ 04-06 ↓ 06-13	↑ 04-08 ↓ 08-13	\
Cowlitz figure vs. Washington State		-	\leftrightarrow	↑	\leftrightarrow	\leftrightarrow	\leftrightarrow	\leftrightarrow	↑	\leftrightarrow
	Castle Rock	84	55	25%	84%	-	8%	10%	41%	-
cts	Kalama	64	61	20%	79%	-	8%	8%	32%	-
School districts	Kelso	342	62	29%	81%	-	7%	10%	49%	-
00 (Longview	562	68	30%	80%	-	7%	10%	49%	-
Sch	Toutle Lake	31	54	18%	82%	-	5%	11%	38%	-
	Woodland	159	72	13%	76%	-	5%	10%	34%	-
	White	961	62	28%	83%	-	7%	9%	43%	-
>	Hispanic	159	92	12%	67%	-	8%	11%	59%	-
nicit	Asian	22	64	9%	84%	-	9%	16%	21%	-
Race/ethnicity	Native Hawaiian/ Pacific Islander	<5	75	-	-	-	-	-	-	-
æ	Black	<5	42	-	-	-	-	-	-	-
	Native American	17	56	-	-	-	-	-	-	-
Gender	Female	598	-	-	-	-	-	-	-	-
Ge	Male	612	-	-	-	-	-	-	-	-
	HS or less	584	-	36%	75%	-	7%	11%	60%	-
SES	Some college	471	-	21%	84%	-	7%	9%	38%	-
	4 year degree or more	135	-	4%	91%	-	5%	7%	8%	-
	15-17	30	14	28%	70%	-	7%	11%	95%	-
age	18-19	96	75	35%	75%	-	6%	11%	84%	-
Maternal age	20-24	393	127	33%	78%	-	7%	9%	59%	-
Mate	25-34	587	100	23%	82%	-	7%	10%	32%	-
	35-44	102	16	15%	82%	-	6%	10%	23%	-

Women of childbearing age

		Women aged 15-44 2009-2013	Women aged 15-44 in poverty 2009-2013	
	recent Cowlitz r percent	17% (of whole county)	22%	
Most	recent Cowlitz number	18,000	3,900	
Cowlitz trend over time		-	-	
Washington State trend over time		-	-	
Cowlitz figure vs. Washington State		-	\leftrightarrow	
	Castle Rock	1,900	11%	
ts	Kalama	1,100	-	
School districts	Kelso	5,200	24%	
000	Longview	8,000	30%	
Sch	Toutle Lake	480	-	
	Woodland	1,800	15%	
	White	15,000	-	
>-	Hispanic	1,700	-	
nnicit	Asian	370	-	
Race/ethnicity	Native Hawaiian/ Pacific Islander	-	-	
~	Black	-	-	
	Native American	200	-	
	HS or less	-	-	
SES	Some college	-	-	
	4 year degree or more	=	-	
	15-17	2,100	23%	
	18-19	1,100	31%	
Age	20-24	3,000	(18-24)	
	25-34	5,600	27%	
	35-44	6,300	16%	

Technical notes & citations

- Countywide and statewide figures are typically based on single-year estimates, while demographic group-specific data (sub-county geography, race/ethnicity, socioeconomic status, age, and gender) are based on multiple-year averages.
- Time trend analyses were performed using JoinPoint software:
 Joinpoint Regression Program, Version 4.1.1.4 February 2015;
 Statistical Methodology and Applications Branch, Surveillance
 Research Program, National Cancer Institute.
- To avoid implying precision for counts based on statistical estimates, census data are rounded to two significant figures.
- "-" indicates that data were not available for that table cell or that numbers were too small to produce a reliable figure.



Indicator definitions and data sources

Indicator	Definition	Source				
Women aged 15-44	The estimated number of women aged 15-44.	U.S. Census Bureau; American Community Survey, 2009-2013 American Community Survey 1-year & 5 year estimates, Tables B01001 & B01001B,C,D,E,H,I; generated by Shannon Hoskins; using American FactFinder; http://factfinder2.census.gov ; (18 April 2015).				
Children aged 0-4 & 5-17	The estimated number of children aged 0-4 $\&$ 5-17, respectively.					
Number of births	Total number of births to Cowlitz County residents.					
General fertility rate	The total number of births to women of all ages per 1000 women aged 15-44.					
Maternal smoking	The number of babies born to women who smoked cigarettes during pregnancy divided by the total number of births.					
First trimester prenatal care	The number of babies born to women who received prenatal care during their first trimester divided by the total number of births.	Vital Registration System, Annual Statistics Files, Births 2004-2013. [Data file]. Olympia, WA: Washington State Department of Health, Center for Health Statistics.				
Teen pregnancy	The number of births per 1,000 women aged 15-17 years.	Community Health Assessment Tool (CHAT) [Computer software for public health assessment, 2015,				
Low birth weight	The number of babies born weighing less than 2500 grams (about 5 $\%$ pounds) divided by the total number of births.	Washington State Department of Health. Olympia, WA.				
Premature births	The number of babies born at less than 37 weeks' gestation divided by the total number of births.					
Births to unmarried women	The number of babies born to unmarried women divided by the total number of births.					
Infant mortality	The number of babies who die within 1 year of birth divided by the total number of live births.					
Women aged 15-44 in poverty	The number of women aged 15-44 living in poverty divided by the total number of women aged 15-44.	U.S. Census Bureau; American Community Survey, 2009-2013 American Community Survey 1-year 8 year estimates, Table B17001; generated by Shannon Hoskins; using American FactFinder;				
Children aged 0-4	The number of children aged 0-4 living in poverty divided by the total number of children	http://factfinder2.census.gov; (18 April 2015). United States Federal Register document number 2013-01422				
in poverty	aged 0-4.	Note: In 2013, the poverty level was less than \$11,490 for a person living alone or \$23,550 for a fami of four.				
Free & reduced price meal participation	The number of elementary school children who are enrolled in the Free/Reduced Price Meal program divided by the total enrollment.	Washington Office of Superintendent of Public Instruction, Child Nutrition. Free and reduced-priced meal participation. Retrieved April & May 2015 from http://reportcard.ospi.k12.wa.us/DataDownload.aspx .				
Single parent families	The number of family households with children aged 0-17 headed by a male or female with no spouse present divided by the total number of family households with children aged 0-17.	U.S. Census Bureau; American Community Survey, 2009-2013 American Community Survey 1-year & 5-year estimates, Table DP02: Selected Social Characteristics; generated by Shannon Hoskins; using American FactFinder; http://factfinder2.census.gov ; (25 March 2015).				
Vaccine exemptions	The number of kindergarten students who are exempt from school vaccine requirements divided by the total number of kindergarteners.	Washington State Department of Health, Immunization Program. Kindergarten Immunization Coverage by School District for School Years 04-05 to 13-14.				
3 rd graders meeting testing standards	The percent of 3 rd grade students who meet math & reading standards, respectively, on the Measurements of Student Progress (MSP) exam.	Washington State Office of Superintendent of Public Instruction, MSP-HSPE Scores by School, school years 09-10 to 12-13.				