



ALL WORK SHALL BE ACCOMPLISHED IN ACCORDANCE WITH THE LATEST EDITION OF THE WSDOT STANDARD SPECIFICATIONS FOR ROAD, BRIDGE, AND MUNICIPAL CONSTRUCTION




See Roadway Section Drawings  
CC1305 - CC1312 for specific section  
and Right of Way requirements.

**PLAN**



**Urban Cul-de-Sac**



**Rural Cul-de-Sac**

**SECTIONS**

\* Additional Right-of-Way may be required to accommodate cuts, fills, and utilities.

\*\* Slopes exceeding standards to be designed according to Geotechnical Engineer's Specifications. Fill slopes steeper than 3:1 (Rural only) require guardrail. Add 1' Min. to width for guardrail shy distance.

CPA  
DESIGNED BY  
**SJM 3/5/25**  
DRAWN BY  
*[Signature]*  
APPROVED BY  
*[Signature]*  
DATE  
**3/17/25**

**TYPICAL ROADWAY SECTION**

**CUL-DE-SAC  
N T S**



DEPARTMENT  
OF PUBLIC  
WORKS  
207 4th AV. NORTH  
KELSO, WASHINGTON  
98626

**DRAWING:CC-1314**

SHEET  
**1**  
OF  
**1**