

ALL WORK SHALL BE ACCOMPLISHED IN ACCORDANCE WITH THE LATEST EDITION OF THE WSDOT STANDARD SPECIFICATIONS FOR ROAD, BRIDGE, AND MUNICIPAL CONSTRUCTION

DESIGN SPECIFICATIONS:

Roadway and Area Classification		Average Luminance	Luminance Uniformity	
			L avg. to L min.	L max. to L min.
Arterial	Commercial	1.2	3 to 1	5 to 1
	Intermediate	0.9	3 to 1	5 to 1
	Residential	0.6	3.5 to 1	6 to 1
Collector	Commercial	0.8	3 to 1	5 to 1
	Intermediate	0.6	3.5 to 1	6 to 1
	Residential	0.4	4 to 1	8 to 1
Local	Commercial	0.6	5 to 1	10 to 1
	Intermediate	0.5	6 to 1	10 to 1
	Residential	0.3	6 to 1	10 to 1

The County Engineer shall adjust, add, or remove street lights where necessary. The contractor may submit stamped calculations by a professional engineer, licensed in the State of Washington, if the contractor does not agree with the modified pole locations.

RGL
 DESIGNED BY
JMC 3/6/07
 DRAWN BY
KAC
 APPROVED BY
3-21-07
 DATE

ILLUMINATION SPECIFICATION

NTS



DEPARTMENT
 OF PUBLIC
 WORKS
 207 4th AV. NORTH
 KELSO, WASHINGTON
 98626

DRAWING:CC-2001

SHEET
1
 OF
1